Search Forms Freeform Search Search Results **User Searches** US Pre-Grant Publication Full-Text Database **Preferences** US Patents Full-Text Database Logout US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database **Derwent World Patents Index IBM Technical Disclosure Bulletins** (timer or period or clock or measure) near5( descriminat\$5 or determin\$5 or detect\$4 or Term: measur\$4)near4 (inoperable or inactivity or 10 Display: Documents in <u>Display Format</u>: |-Starting with Number 1 Generate: O Hit List • Hit Count O Side by Side O Image Search Clear Interrupt Search History DATE: Wednesday, March 28, 2007 Purge Queries Printable Copy Create Case <u>Set</u> <u>Set</u> Hit Name Query Count side by result side set DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI: PLUR=YES: OP=OR (timer or period or clock or measure) near5( descriminat\$5 or determin\$5 or detect\$4 or measur\$4)near4 (inoperable or inactivity or activity or operat\$4 or us\$6) near5 (print\$4) and @ad<20010112 and (print) near2(job or operation or 71 <u>L9</u> queue) and (plural\$4 or other or many or network or different or second) near3 Print\$4 (timer or period or clock or measure) near5 (inoperable or inactivity or activity or operat\$4 or us\$6) near5 (print\$4) and @ad<20010112 and (print) near2(job L8 742 L8 or operation or queue) and (plural\$4 or other or many or network or different or second) near3 Print\$4 (timer or period or clock or measure)near5 (inoperable or inactivity or activity <u>L7</u> or operat\$4 or us\$6) near5 (print\$4) and @ad<20010112 and (print) near2(job 910 L7 or operation or queue) (timer or period or clock or measure)near5 (inoperable or inactivity or activity L6 or operat\$4 or us\$6) near5 (print\$4) and @ad<20010112 and (print) near4 (job 1213 L6 or operation or queue) (timer or period or clock or measure)near5 (inoperable or inactivity or activity <u>L5</u> 4250 L5 or operat\$4 or us\$6) near5 (print\$4) and @ad<20010112

· <u>L4</u>	(timer or period or clock or measure)near5 (inoperable or inactivity or activity or operat\$4 or us\$6) near7 (print\$4) and @ad<20010112	4853	<u>L4</u>
<u>L3</u>	(timer or period or clock or measure)near5 (inoperable or inactivity or activity or operat\$4 or us\$6) near7 (print\$4 or record\$4 or output\$4) and @ad<20010112	50504	<u>L3</u>
<u>L2</u>	(timer or period or clock or measure)near5 (inoperable or inactivity or activity or operat\$4 or us\$6) with (print\$4 or record\$4 or output\$4) and @ad< 20010112	724 <u>0</u> 7	<u>L2</u>
<u>L1</u>	(timer or period or clock or measure) with (inoperable or inactivity or activity or operat\$4 or us\$6) same (print\$4 or record\$4 or output\$4) and @ad< 20010112	214298	<u>L1</u>

## END OF SEARCH HISTORY

Search Search Respit	-	Freeform Search		
Prefer Logou	t	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Т	erm:	13 not 14		
D	isplay:	10 Documents in <u>Display Format</u> : - Starting with Numb	er 1	
G	Generate:	O Hit List @ Hit Count O Side by Side O Image		
		Search Clear Interrupt		
		Search History		
DATE	Wedne	sday, March 28, 2007 Purge Queries Printable Copy Create C	Case	
side by side	Query		Hit Count	Set Name result set
	·	SPT, USOC, EPAB, JPAB, DWPI; PLUR=YES; OP=OR	127	τ.ε
<u>L5</u>	detect\$4 us\$6) nea	r period or clock or measure) near5( descriminat\$5 or determin\$5 or or measur\$4)near4 (inoperable or inactivity or activity or operat\$4 or ar5 (print\$4) and @ad<20010112 and (print) near2(job or operation or ad (plural\$4 or other or many or network or different or second) near3	127 71	<u>L5</u> <u>L4</u>
<u>L3</u>	print with (transmit\$4 or input\$4 or send\$4 or convey\$4) near4 (job or order or queue or batch) near7 (time or period or second\$4 or wait\$4) near6 (transmi\$6 or control\$4 or output\$4) and @ad<20010112			
<u>L2</u>	•	\$4 or input\$4 or send\$4 or convey\$4) near4 (job or order or queue or ar7 (time or period or second\$4 or wait\$4) and @ad<20010112	17513	<u>L2</u>
<u>L1</u>	•	\$4 or input\$4 or send\$4 or convey\$4) near4 (print\$\$) with (time or second\$4 ro wait\$4) and @ad<20010112	12089	<u>L1</u>

END OF SEARCH HISTORY